

jjjjjjj .TXT

Call sign : WPIU702
 Coordinates : 42-15-23.0 N, 83-16-58.0 W
 Frequency (MHz): 866.57500
 HAAT (m): 62.34 AMSL (m): 248.00
 Elevation (m): 191.00 Tower AGL (m): 57.00
 ERP (w): 425
 TX power (w): 425 Gain (dB): 0.00
 City/State : , MI
 ARN :
 Distance (km): 70
 Licensee :

Contour type : R-6602 (Carey) Svc.
 Signal strength : 40.000 dBu
 Area covered : 1594.300 sq. km
 Population covered: 0 persons
 Contour HAAT (m) : 61.9

Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist
0	181	67	23.4	90	176	72	24.2	180	183	65	23.1	270	200	48	19.9
5	181	67	23.4	95	176	72	24.2	185	183	65	23.1	275	200	48	19.9
10	182	66	23.3	100	176	72	24.2	190	184	64	23.0	280	199	49	20.1
15	182	66	23.3	105	176	72	24.2	195	187	61	22.5	285	199	49	20.1
20	182	66	23.3	110	175	73	24.3	200	188	60	22.3	290	199	49	20.1
25	183	65	23.1	115	175	73	24.3	205	188	60	22.3	295	199	49	20.1
30	182	66	23.3	120	176	72	24.2	210	189	59	22.2	300	198	50	20.3
35	182	66	23.3	125	177	71	24.0	215	190	58	22.0	305	198	50	20.3
40	181	67	23.4	130	177	71	24.0	220	190	58	22.0	310	198	50	20.3
45	180	68	23.6	135	177	71	24.0	225	191	57	21.8	315	198	50	20.3
50	180	68	23.6	140	178	70	23.9	230	196	52	20.8	320	196	52	20.8
55	180	68	23.6	145	177	71	24.0	235	197	51	20.6	325	195	53	21.0
60	180	68	23.6	150	177	71	24.0	240	197	51	20.6	330	193	55	21.4
65	180	68	23.6	155	179	69	23.7	245	198	50	20.3	335	192	56	21.6
70	179	69	23.7	160	180	68	23.6	250	198	50	20.3	340	188	60	22.3
75	177	71	24.0	165	181	67	23.4	255	198	50	20.3	345	185	63	22.8
80	177	71	24.0	170	181	67	23.4	260	200	48	19.9	350	184	64	23.0
85	177	71	24.0	175	181	67	23.4	265	200	48	19.9	355	181	67	23.4

Call sign : WPIU702
 Coordinates : 42-05-47.0 N, 83-17-53.0 W
 Frequency (MHz): 866.57500
 HAAT (m): 98.34 AMSL (m): 279.00
 Elevation (m): 183.00 Tower AGL (m): 96.00
 ERP (w): 368
 TX power (w): 368 Gain (dB): 0.00
 City/State : , MI
 ARN :
 Distance (km): 70
 Licensee :

Contour type : R-6602 (Carey) Svc.
 Signal strength : 40.000 dBu
 Area covered : 2261.000 sq. km
 Population covered: 0 persons
 Contour HAAT (m) : 97.8

Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist
0	185	94	26.4	90	174	105	27.7	180	177	102	27.3	270	190	89	25.8
5	183	96	26.6	95	174	105	27.7	185	177	102	27.3	275	191	88	25.6
10	180	99	27.0	100	174	105	27.7	190	177	102	27.3	280	191	88	25.6
15	180	99	27.0	105	174	105	27.7	195	178	101	27.2	285	191	88	25.6
20	180	99	27.0	110	175	104	27.6	200	180	99	27.0	290	192	87	25.5
25	180	99	27.0	115	175	104	27.6	205	180	99	27.0	295	191	88	25.6
30	180	99	27.0	120	175	104	27.6	210	180	99	27.0	300	191	88	25.6
35	180	99	27.0	125	174	105	27.7	215	181	98	26.9	305	189	90	25.9
40	180	99	27.0	130	173	106	27.8	220	181	98	26.9	310	189	90	25.9
45	177	102	27.3	135	173	106	27.8	225	180	99	27.0	315	189	90	25.9
50	177	102	27.3	140	175	104	27.6	230	181	98	26.9	320	190	89	25.8
55	176	103	27.5	145	176	103	27.5	235	183	96	26.6	325	191	88	25.6
60	175	104	27.6	150	176	103	27.5	240	183	96	26.6	330	191	88	25.6
65	174	105	27.7	155	176	103	27.5	245	185	94	26.4	335	189	90	25.9
70	175	104	27.6	160	177	102	27.3	250	185	94	26.4	340	190	89	25.8
75	175	104	27.6	165	178	101	27.2	255	184	95	26.5	345	188	91	26.0
80	175	104	27.6	170	180	99	27.0	260	186	93	26.3	350	187	92	26.1
85	174	105	27.7	175	180	99	27.0	265	186	93	26.3	355	186	93	26.3

Call sign : WPIU702

Coordinates : 42-09-44.0 N, 83-12-20.0 W jjjjjjjj.TXT
 Frequency (MHz): 866.57500
 HAAT (m): 91.45 AMSL (m): 270.00
 Elevation (m): 181.00 Tower AGL (m): 89.00
 ERP (w): 185
 TX power (w): 185 Gain (dB): 0.00
 City/State : MI
 ARN :
 Distance (km): 76
 Licensee :

Contour type : R-6602 (Carey) Svc.
 Signal strength : 40.000 dBu
 Area covered : 1563.900 sq. km
 Population covered: 0 persons
 Contour HAAT (m) : 91.6

Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist
0	180	90	22.1	90	176	94	22.6	180	175	95	22.7	270	185	85	21.5
5	180	90	22.1	95	176	94	22.6	185	178	92	22.4	275	186	84	21.4
10	180	90	22.1	100	176	94	22.6	190	178	92	22.4	280	186	84	21.4
15	180	90	22.1	105	177	93	22.5	195	180	90	22.1	285	187	83	21.2
20	180	90	22.1	110	177	93	22.5	200	180	90	22.1	290	188	82	21.1
25	176	94	22.6	115	176	94	22.6	205	180	90	22.1	295	188	82	21.1
30	172	98	23.1	120	176	94	22.6	210	180	90	22.1	300	188	82	21.1
35	172	98	23.1	125	176	94	22.6	215	180	90	22.1	305	188	82	21.1
40	173	97	23.0	130	175	95	22.7	220	180	90	22.1	310	187	83	21.2
45	173	97	23.0	135	174	96	22.9	225	180	90	22.1	315	186	84	21.4
50	174	96	22.9	140	173	97	23.0	230	180	90	22.1	320	185	85	21.5
55	174	96	22.9	145	171	99	23.2	235	180	90	22.1	325	185	85	21.5
60	174	96	22.9	150	170	100	23.3	240	181	89	22.0	330	182	88	21.9
65	175	95	22.7	155	170	100	23.3	245	182	88	21.9	335	181	89	22.0
70	174	96	22.9	160	170	100	23.3	250	182	88	21.9	340	180	90	22.1
75	172	98	23.1	165	170	100	23.3	255	181	89	22.0	345	180	90	22.1
80	173	97	23.0	170	170	100	23.3	260	184	86	21.6	350	180	90	22.1
85	175	95	22.7	175	170	100	23.3	265	185	85	21.5	355	180	90	22.1

Call sign : WPIU702
 Coordinates : 42-14-42.0 N, 83-08-51.0 W
 Frequency (MHz): 866.57500
 HAAT (m): 59.32 AMSL (m): 238.00
 Elevation (m): 177.00 Tower AGL (m): 61.00
 ERP (w): 500
 TX power (w): 500 Gain (dB): 0.00
 City/State : MI
 ARN :
 Distance (km): 81
 Licensee :

Contour type : R-6602 (Carey) Svc.
 Signal strength : 40.000 dBu
 Area covered : 1657.300 sq. km
 Population covered: 0 persons
 Contour HAAT (m) : 58.9

Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist
0	184	54	22.1	90	182	56	22.5	180	172	66	24.1	270	185	53	21.9
5	183	55	22.3	95	182	56	22.5	185	173	65	24.0	275	185	53	21.9
10	183	55	22.3	100	182	56	22.5	190	170	68	24.5	280	184	54	22.1
15	182	56	22.5	105	182	56	22.5	195	174	64	23.8	285	183	55	22.3
20	179	59	23.0	110	180	58	22.9	200	176	62	23.5	290	183	55	22.3
25	180	58	22.9	115	178	60	23.2	205	176	62	23.5	295	181	57	22.7
30	179	59	23.0	120	177	61	23.4	210	179	59	23.0	300	181	57	22.7
35	176	62	23.5	125	176	62	23.5	215	179	59	23.0	305	181	57	22.7
40	174	64	23.8	130	176	62	23.5	220	180	58	22.9	310	180	58	22.9
45	172	66	24.1	135	175	63	23.7	225	180	58	22.9	315	180	58	22.9
50	175	63	23.7	140	175	63	23.7	230	180	58	22.9	320	180	58	22.9
55	177	61	23.4	145	173	65	24.0	235	181	57	22.7	325	180	58	22.9
60	178	60	23.2	150	175	63	23.7	240	181	57	22.7	330	180	58	22.9
65	178	60	23.2	155	175	63	23.7	245	183	55	22.3	335	181	57	22.7
70	179	59	23.0	160	174	64	23.8	250	184	54	22.1	340	182	56	22.5
75	182	56	22.5	165	174	64	23.8	255	184	54	22.1	345	182	56	22.5
80	183	55	22.3	170	170	68	24.5	260	183	55	22.3	350	182	56	22.5
85	182	56	22.5	175	170	68	24.5	265	185	53	21.9	355	183	55	22.3

Call sign : !Proposed- Site 8
 Coordinates : 42-16-31.1 N, 84-24-17.8 W

jjjjjjjj.TXT

Frequency (MHz): 866.57500
 HAAT (m): 80.74 AMSL (m): 373.70
 Elevation (m): 298.70 Tower AGL (m): 75.00
 ERP (w): 100
 TX power (w): 100 Gain (dB): 0.00
 City/State : ,
 ARN :
 Distance (km): 23
 Licensee : Jackson, County of

Contour type : R-6602 (Carey) Svc.
 Signal strength : 5.000 dBu
 Area covered : 13531.000 sq. km
 Population covered: 0 persons
 Contour HAAT (m) : 80.5

Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist	Brg	AT	HAAT	Dist
0	279	94	67.8	90	299	74	64.6	180	299	74	64.6	270	296	77	65.1
5	279	94	67.8	95	298	75	64.8	185	297	76	64.9	275	295	78	65.3
10	279	94	67.8	100	297	76	64.9	190	297	76	64.9	280	297	76	64.9
15	283	90	67.2	105	298	75	64.8	195	300	73	64.4	285	294	79	65.4
20	285	88	66.9	110	298	75	64.8	200	302	71	64.1	290	294	79	65.4
25	285	88	66.9	115	298	75	64.8	205	305	68	63.6	295	292	81	65.8
30	284	89	67.0	120	294	79	65.4	210	306	67	63.4	300	292	81	65.8
35	284	89	67.0	125	290	83	66.1	215	305	68	63.6	305	295	78	65.3
40	282	91	67.3	130	290	83	66.1	220	302	71	64.1	310	295	78	65.3
45	280	93	67.6	135	291	82	65.9	225	299	74	64.6	315	296	77	65.1
50	279	94	67.8	140	293	80	65.6	230	298	75	64.8	320	291	82	65.9
55	277	96	68.1	145	293	80	65.6	235	299	74	64.6	325	290	83	66.1
60	281	92	67.5	150	292	81	65.8	240	298	75	64.8	330	289	84	66.3
65	287	86	66.6	155	292	81	65.8	245	297	76	64.9	335	287	86	66.6
70	288	85	66.4	160	293	80	65.6	250	298	75	64.8	340	286	87	66.7
75	294	79	65.4	165	292	81	65.8	255	299	74	64.6	345	290	83	66.1
80	299	74	64.6	170	290	83	66.1	260	297	76	64.9	350	288	85	66.4
85	299	74	64.6	175	292	81	65.8	265	297	76	64.9	355	286	87	66.7